

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

### **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** 10/762,649

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Thursday  
Date: 9/21/2006

Time: 08:46:51

**PALM INTRANET**

## Inventor Information for 10/762649

<b>Inventor Name</b>	<b>City</b>	<b>State/Country</b>
PARK, JOON	GLENDALE	CALIFORNIA

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity/Reexam	Foreign E
------------	----------	---------------	-----------------	-------------------	-----------

**Search Another: Application#**   **or Patent#**    
**PCT /**  **/**   **or PG PUBS #**    
**Attorney Docket #**    
**Bar Code #**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060211438 A1	US- PGPUB	20060921	12	Method and system for granting floor in push-to-talk over cellular network	455/518		Sung; Sang-Kyung et al.
US 20060205430 A1	US- PGPUB	20060914		Method and system for identifying respondent client in push-to-talk over cellular network	455/518		Park; Joon-Goo et al.
US 20060205013 A1	US- PGPUB	20060914		FET-type biosensor with surface modification	435/7.1		Shim; Jeo-young et al.
US 20060204985 A1	US- PGPUB	20060914		Method of hybridizing genes	435/6	536/25.3	Park; Joon-shik et al.
US 20060197860 A1	US- PGPUB	20060907		Method and apparatus for controlling input/output interface	348/333.1	348/231.99	Kim; Yoon Sang et al.
US 20060195934 A1	US- PGPUB	20060831		Modulating plant alkaloids	800/278	800/295	Apuya; Nestor et al.
US 20060192933 A1	US- PGPUB	20060831		Multiple exposure apparatus and multiple exposure method using the same	355/67	355/53	Kim; Sang-j et al.
US 20060189340 A1	US- PGPUB	20060824		Method and system for guaranteeing seamless session when replacing PoC terminal in PoC system	455/518		Sung; Sang-Kyung et al.
US 20060189339 A1	US- PGPUB	20060824		Method and system for deleting floor in PoC system	455/518		Park; Sung-Jin et al.
US 20060189300 A1	US- PGPUB	20060824		Method and apparatus for sending notification about broadcast service in a mobile broadcast system	455/412.2		Hwang; Sung-Oh et al.
US 20060188583 A1	US- PGPUB	20060824		In situ controlled release drug delivery system	424/490		Lim; Tae-Hong et al.
US 20060183394 A1	US- PGPUB	20060817		ORGANIC LIGHT EMITTING DISPLAY (OLED) AND METHOD OF FABRICATING THE SAME	445/24	313/504	Kim; Jae-Jung et al.
US 20060183142 A1	US- PGPUB	20060817		Method of increasing discrimination for single base mismatch using hurdle DNA and artificially mismatched probe	435/6	435/91.2	Choi; Soo-hyung et al.
US	US-	20060817		Multi-chip light emitting diode	362/97	362/231;	Jung; Il-yon

20060181866 A1	PGPUB			unit, and backlight unit and liquid crystal display device employing the same		362/240; 362/800	et al.
US 20060180810 A1	US- PGPUB	20060817		Composition of conducting polymer and organic opto-electronic device employing the same	257/40	136/263; 252/500; 313/504; 313/506; 428/690; 428/917; 525/418; 525/535; 525/538; 525/919	Lee; Tae-Woo et al.
US 20060172755 A1	US- PGPUB	20060803		System and method for push-to-talk image communications in a mobile communication terminal	455/518		Park; Joon-Gil
US 20060172753 A1	US- PGPUB	20060803		Method and system for establishing network-initiated PoC group session	455/518		Sung; Sang-Kyung et al.
US 20060170348 A1	US- PGPUB	20060803		Barrier rib structure of plasma display panel and lower plate structure using the same	313/582	313/292	Oh; Sang Ji et al.
US 20060166241 A1	US- PGPUB	20060727		Nucleic acid isolation unit and method using intercalator	435/6	435/287.2	Shim; Jeo-young et al.
US 20060166037 A1	US- PGPUB	20060727		Blue electroluminescent polymer and organic electroluminescent device using the same	428/690	257/40; 257/E51.028; 313/504; 313/506; 428/917; 528/423; 540/588; 544/102; 544/35; 544/73; 546/101	Son; Jhun-N et al.
US 20060160534 A1	US- PGPUB	20060720		Transceiver device capable of calibration and calibration method used by the same	455/423		Jung; Weon-kyo et al.
US 20060157714 A1	US- PGPUB	20060720		Nitride semiconductor light emitting device	257/79		Yoo; Tae-Kyung et al.
US 20060154681 A1	US- PGPUB	20060713		Method and system for controlling talk time for PoC user	455/518		Park; Sung-Jin et al.

US 20060154460 A1	US- PGPUB	20060713		Self-aligned contact method	438/586	438/618; 438/675	Yun; Serah al.
US 20060152290 A1	US- PGPUB	20060713		Apparatus and method of oscillating wideband frequency	331/16		Lee; Kyeongho e al.
US 20060152111 A1	US- PGPUB	20060713		MICRO-ELECTRICAL- MECHANICAL DEVICE AND METHOD OF MAKING SAME	310/328		Allison; Robert C. et al.
US 20060148144 A1	US- PGPUB	20060706		Semiconductor device and method of manufacturing the same	438/164	438/199	Park; Joon- Jin
US 20060143736 A1	US- PGPUB	20060629		Modulating plant carbon levels	800/284	435/419; 435/468	Schneeberg Richard et a
US 20060142037 A1	US- PGPUB	20060629		Method and system for processing PoC call based on answer mode of push to talk over cellular system client	455/518		Sung; Sang- Kyung et al.
US 20060141689 A1	US- PGPUB	20060629		Semiconductor device and method of manufacturing the semiconductor device	438/197		Park; Joon- Jin
US 20060140547 A1	US- PGPUB	20060629		Optical module for multi- wavelength	385/89		Park; Joong- Wan et al.
US 20060139281 A1	US- PGPUB	20060629		Liquid crystal display device	345/96		Park; Joon- Kyu
US 20060138446 A1	US- PGPUB	20060629		Algainn based optical device and fabrication method thereof	257/103	257/615; 438/47; 438/478	Yoo; Tae- Kyung et al.
US 20060137034 A1	US- PGPUB	20060622		Modulating plant nitrogen levels	800/278	435/468; 800/312; 800/313	Schneeberg Richard et a
US 20060120732 A1	US- PGPUB	20060608		Apparatus and method in optical receiver for receiving burst mode signal	398/202		Baek; Jae- Myung et al
US 20060115998 A1	US- PGPUB	20060601		Method for forming pattern of organic insulating film	438/780	438/781	Shin; Jung Han et al.
US 20060114885 A1	US- PGPUB	20060601		Network interworking system and method for providing seamless voice service and short message service between wireless communication	370/352		Baek; Hye- Won et al.

				networks			
US 20060111093 A1	US- PGPUB	20060525		Apparatus and method for controlling portable terminal	455/418		Shim; Jung- hyun et al.
US 20060108905 A1	US- PGPUB	20060525		Mold for fabricating barrier rib and method of fabricating two- layered barrier rib using same	313/292	313/495; 313/582	Cho; Han S et al.
US 20060107892 A1	US- PGPUB	20060525		Apparatus and method for fabricating preform for plastic optical fiber by successive UV polymerization	117/200	117/900	Son; Young Mok et al.
US 20060102913 A1	US- PGPUB	20060518		Full color OLED and method of fabricating the same	257/89	257/100; 257/98; 257/E51.022; 313/112; 313/504; 313/506; 313/512; 428/917; 438/29; 438/35	Park; Joon- Young
US 20060101114 A1	US- PGPUB	20060511		System and apparatus for storage and transfer of secure data on Web	709/203		Sandhu; Rav et al.
US 20060099538 A1	US- PGPUB	20060511		Methods of performing a photolithography process for forming asymmetric patterns and methods of forming a semiconductor device using the same	430/394	430/396	Park; Joon- Soo et al.
US 20060097263 A1	US- PGPUB	20060511		Organic electroluminescent display device	257/72		Lee; Jeong- Yeol et al.
US 20060092663 A1	US- PGPUB	20060504		Side light-emitting device, backlight unit having the side light-emitting device, and liquid crystal display apparatus employing the backlight unit	362/608		Noh; Ji-wha et al.
US 20060092662 A1	US- PGPUB	20060504		Backlight unit and liquid crystal display employing the same	362/607	362/613	Noh; Ji-wha et al.
US 20060089999 A1	US- PGPUB	20060427		Method for providing IMS- based wireless download services	709/229		Xiang; Zeng Jun et al.
US 20060087827	US- PGPUB	20060427		Backlight unit and liquid crystal display apparatus	362/29	362/245; 362/327	Jung; Il-yon et al.

A1				employing the same			
US 20060084454 A1	US- PGPUB	20060420		Call processing system and method based on answer mode of push to talk over cellular user	455/518	455/507	Sung; Sang-Kyung et al.
US 20060083946 A1	US- PGPUB	20060420		Organic light emitting device	428/690	313/504; 313/506; 428/212; 428/213; 428/917	Lee; Su-Mi al.
US 20060081973 A1	US- PGPUB	20060420		Integrated circuit package having inductance loop formed from same-pin-to-same-bonding-pad structure	257/692	257/676; 257/691; 257/784	Koo; Yido e al.
US 20060079201 A1	US- PGPUB	20060413		System, method, and medium for managing conversational user interface according to usage pattern for portable operation	455/410	455/411	Chung; Seung-nyun et al.
US 20060077159 A1	US- PGPUB	20060413		Method and apparatus for driving liquid crystal display panel	345/88		Park; Joon I
US 20060068737 A1	US- PGPUB	20060330		Sigma-delta based phase lock loop	455/260	375/327; 455/76	Koo; Yido e al.
US 20060067079 A1	US- PGPUB	20060330		Side emitting device, backlight unit using the same as light source and liquid crystal display employing the backlight unit	362/327	362/332; 362/555	Noh; Ji-wha et al.
US 20060063536 A1	US- PGPUB	20060323		Method for determining location of UE by using AGPS information	455/456.1		Kim; Wuk e al.
US 20060060870 A1	US- PGPUB	20060323		Full-color organic light emitting display and method of fabricating the same	257/88	257/100; 257/98; 313/112; 313/506; 313/512; 427/66; 438/29; 438/34	Park; Joon-Young et al.
US 20060058018 A1	US- PGPUB	20060316		Tag for facilitating interaction with a wireless communication device	455/422.1		Toulis; Tade T. et al.
US 20060047820	US- PGPUB	20060302		System and method for monitoring simultaneous PoC	709/227		Sung; Sang-Kyung et al.

A1				sessions			
US 20060035656 A1	US- PGPUB	20060216		Method and system for merging multiple push-to-talk over cellular sessions	455/518	370/353	Sung; Sang-Kyung et al.
US 20060030322 A1	US- PGPUB	20060209		Method and system for handoff between base stations supporting multi-profile operation in BWA system	455/436	455/502	Kim; Jun-Hyung et al.
US 20060019184 A1	US- PGPUB	20060126		Multi-exposure lithography method and system providing increased overlay accuracy	430/22	430/30	Park; Joon-soo et al.
US 20060019026 A1	US- PGPUB	20060126		Manufacturing method of OLED display and apparatus for manufacturing the OLED display	427/66		Lee; Seong-Taek et al.
US 20060012938 A1	US- PGPUB	20060119		Coupling set for connecting ground plate for arrest of lightning	361/220		Park; Joon-Young
US 20060009264 A1	US- PGPUB	20060112		Method for voice dialing of telephone number	455/563		Seo; Jeong-Wook et al.
US 20060003720 A1	US- PGPUB	20060105		System and method for tuning a frequency generator using an LC oscillator	455/264	455/76	Lee; Kang Yoon et al.
US 20060001489 A1	US- PGPUB	20060105		Highly linear variable gain amplifier	330/254		Park; Joonb; et al.
US 20060001341 A1	US- PGPUB	20060105		One-way transparent optical system	313/110	313/111; 313/112	Jin; Young-Gu et al.
US 20050288063 A1	US- PGPUB	20051229		Method for initiating voice recognition mode on mobile terminal	455/563		Seo, Jeong-Wook et al.
US 20050286266 A1	US- PGPUB	20051229		Light guide panel usable with backlight unit, backlight unit employing the same, and manufacturing method thereof	362/615	362/616; 362/627; 362/629	Park, Joon- chan
US 20050281106 A1	US- PGPUB	20051222		Semiconductor memory device for low power consumption	365/205		Han, Gong-Heum et al.
US 20050280606 A1	US- PGPUB	20051222		Method and apparatus of driving a plasma display panel	345/60		Park, Joong Seo
US 20050264184 A1	US- PGPUB	20051201		Method of fabricating organic light emitting display	313/504		Park, Joon- Young et al.



US 20050255857 A1	US- PGPUB	20051117		Method and apparatus for selecting a location platform for a user equipment to roam and method for determining a location of a user equipment using the same	455/456.1	455/432.1; 455/435.1	Kim, Wuk e al.
US 20050239480 A1	US- PGPUB	20051027		Positioning apparatus and method of a mobile terminal using a positioning server independently constructed on a network	455/456.1	455/456.5	Kim, Joo- Young et al.
US 20050227568 A1	US- PGPUB	20051013		Method for fabricating organic electroluminescent display	445/24		Lee, Seong Taek et al.
US 20050227496 A1	US- PGPUB	20051013		Phase change memory elements and methods of fabricating phase change memory elements having a confined portion of phase change material on a recessed contact	438/745	257/E27.004; 257/E45.002; 438/689; 438/700	Park, Joon- sang et al.
US 20050202775 A1	US- PGPUB	20050915		Rear air conditioner for vehicle	454/156		Han, Joong Man et al.
US 20050192027 A1	US- PGPUB	20050901		Apparatus and method for determining position information of user equipment	455/456.1	342/357.09; 342/357.15	Kim, Wuk e al.
US 20050177366 A1	US- PGPUB	20050811		Noise adaptive mobile communication device, and call sound synthesizing method using the same	704/226		Yoo, Myung Hyun et al.
US 20050175858 A1	US- PGPUB	20050811		Carbazole containing compound and organic electroluminescent display device using the same	428/690	313/504; 313/506; 428/917; 548/440	Jung, Dong- Hyun et al.
US 20050175482 A1	US- PGPUB	20050811		Linear compressor with external vibration-absorbing structure	417/416	417/545	Park, Jong J et al.
US 20050175473 A1'	US- PGPUB	20050811		Linear compressor	417/363	417/416; 417/545	Park, Jong J et al.
US 20050173750 A1	US- PGPUB	20050811		Semiconductor device with improved overlay margin and method of manufacturing the same	257/304		Park, Joon- Soo
US	US-	20050804		Method for controlling	165/61	62/206	Park, Jin Ko

20050167081 A1	PGPUB			operation of refrigerator with two evaporators			et al.
US 20050167045 A1	US- PGPUB	20050804		Master processing apparatus	156/303.1	156/383; 156/556	Lassen, Morten et al
US 20050158197 A1	US- PGPUB	20050721		Dual-type air-type air conditioning system for vehicles	417/505	417/572	Park, Tae- Young et al.
US 20050140972 A1	US- PGPUB	20050630		Apparatus for solution component analysis and fabricating method thereof	356/246		Park, Kwang Bum et al.
US 20050130414 A1	US- PGPUB	20050616		Methods for forming small features in microelectronic devices using sacrificial layers and structures fabricated by same	438/672	438/597	Choi, Suk- Hun et al.
US 20050127347 A1	US- PGPUB	20050616		Methods for fabricating memory devices using sacrificial layers and memory devices fabricated by same	257/2	257/758; 438/622	Choi, Suk- Hun et al.
US 20050124700 A1	US- PGPUB	20050609		BIGUANIDE/QUATERNARY AMMONIUM CONTAINING COPOLYMERIC BIOCIDES AND USE THEREOF IN PHARMACEUTICAL COMPOSITIONS	514/635	564/233; 564/234	McQueen, Nathaniel D et al.
US 20050113009 A1	US- PGPUB	20050526		Polishing pad conditioner and chemical mechanical polishing apparatus having the same	451/285	451/444	Lee, Jong- Won et al.
US 20050110028 A1	US- PGPUB	20050526		Organic light-emitting display	257/88		Park, Joon- Young et al.
US 20050104531 A1	US- PGPUB	20050519		Apparatus for energy recovery of a plasma display panel	315/169.4	315/169.3	Park, Joong Seo et al.
US 20050099381 A1	US- PGPUB	20050512		Driving unit for liquid crystal display device	345/100		Park, Joon- Kyu
US 20050099364 A1	US- PGPUB	20050512		Energy recovery apparatus and method of a plasma display panel	345/60		Jung, Yun Kwon et al.
US 20050095874 A1	US- PGPUB	20050505		Active matrix organic electroluminescent display device and fabricating method thereof	438/800	257/E21.413; 257/E21.703; 257/E27.112; 257/E29.293	Park, Jae- Yong et al.
US	US-	20050428		Method for generating a	455/67.11		Kim,

20050090202 A1	PGPUB			preamble sequence group			Hyoun- Gwan et al.
US 20050088086 A1	US- PGPUB	20050428		Active matrix organic electroluminescent display device and fabricating method thereof	313/506	257/E21.413; 257/E21.703; 257/E27.111; 257/E27.112; 257/E29.293; 445/24	Park, Jae- Yong et al.
US 20050086322 A1	US- PGPUB	20050421		Upgrade system for software in electric home appliance	709/217	717/168	Park, Joon- Bae
US 20050070306 A1	US- PGPUB	20050331		Apparatus and method for locating mobile terminals	455/456.2	455/456.1	Kim, Wuk e al.
US 20050070280 A1	US- PGPUB	20050331		Access network selection apparatus and method in a heterogeneous system	455/434	455/452.1	Jung, Je- Hyun et al.
US 20050055159 A1	US- PGPUB	20050310		Method for off-line routing	701/209	340/995.19	Song, Ju- Yeon et al.
US 20050050489 A1	US- PGPUB	20050303		Electronic circuit design analysis system	716/4	716/13	Chen, Thaddeus et al.
US 20050049841 A1	US- PGPUB	20050303		Simulation management system	703/14		Chen, Thaddeus et al.
US 20050048928 A1	US- PGPUB	20050303		System and method for filtering signals in a transceiver	455/78	455/73	Jeon, Young Deuk et al.
US 20050045988 A1	US- PGPUB	20050303		Integrated circuit package having inductance loop formed from a bridge interconnect	257/531		Koo, Yido e al.
US 20050045987 A1	US- PGPUB	20050303		Integrated circuit package having inductance loop formed from same-pin-to-same- bonding-pad structure	257/531	257/691; 257/692; 257/723	Koo, Yido e al.
US 20050045986 A1	US- PGPUB	20050303		Integrated circuit package having an inductance loop formed from a multi-loop configuration	257/531		Koo, Yido e al.
US 20050037413 A1	US- PGPUB	20050217		Size-controlled macromolecule	435/6	435/287.2	Park, Joon Won et al.
US 20050024547 A1	US- PGPUB	20050203		Liquid crystal display device and method of driving the same	349/39		Park, Joon- Kyu

US 20050014330 A1	US- PGPUB	20050120		Method of planarizing an interlayer dielectric layer	438/239	257/E21.244; 257/E21.58; 438/634	Park, Young Rae et al.
US 20050012695 A1	US- PGPUB	20050120		Apparatus and method for driving electro-luminescent display panel and method of fabricating electro-luminescent display device	345/76		Park, Joon Kyu
US 20050007334 A1	US- PGPUB	20050113		Driving circuit of liquid crystal display device and method for driving the same	345/102		Park, Joon Kyu
US 20040263461 A1	US- PGPUB	20041230		Liquid crystal display device and method of driving the same	345/98		Park, Joon- Kyu
US 20040263072 A1	US- PGPUB	20041230		Flat panel display	313/509	313/503; 313/504; 313/506	Park, Joon- Young et al.
US 20040262605 A1	US- PGPUB	20041230		Active matrix organic electro luminescence device panel	257/59		Park, Jae Yong et al.
US 20040254587 A1	US- PGPUB	20041216		Pedicure implement having a contoured surface	606/131		Park, Joon
US 20040244911 A1	US- PGPUB	20041209		Slurry composition for use in chemical mechanical polishing of metal wiring	156/345.11	257/E21.304	Lee, Jae Sec et al.
US 20040241590 A1	US- PGPUB	20041202		Method for high resolution patterning using soft x-ray, process for preparing nano device using the same method	430/322	430/311; 430/967	Park, Joon Won et al.
US 20040241582 A1	US- PGPUB	20041202		Method for high resolution patterning using low-energy electron beam, process for preparing nano device using the method	430/296	430/311; 430/322	Park, Joon Won et al.
US 20040228294 A1	US- PGPUB	20041118		Apparatus and method for transmitting/receiving control information for supporting multimedia broadcast/multicast service	370/312	370/432	Kim, Soeng- Hun et al.
US 20040219295 A1	US- PGPUB	20041104		Oxidation resistant coatings for ultra high temperature transition metals and transition metal alloys	427/255.27	427/372.2; 428/446; 428/469; 428/704	Perepezko, John H. et al.
US 20040218212	US- PGPUB	20041104		Printer management and printing control system used	358/1.15	358/1.13	Jang, Ki-jun et al.

A1				with printers			
US 20040212316 A1	US- PGPUB	20041028		Energy recovering apparatus and method for plasma display panel	315/169.4	345/66	Park, Joong Seo
US 20040191564 A1	US- PGPUB	20040930		Donor film for low molecular weight full color organic electroluminescent device using laser induced thermal imaging method and method for fabricating low molecular weight full color organic electroluminescent device using the film	428/690	257/E51.041; 257/E51.042; 257/E51.043; 257/E51.044; 257/E51.047; 257/E51.051	Kim, Mu-Hyun et al.
US 20040179711 A1	US- PGPUB	20040916		Speaker having a weight ring	381/412	381/400; 381/423	Park, Joon-Ho et al.
US 20040179321 A1	US- PGPUB	20040916		Degaussing circuit for cathode ray tube	361/150		Woo, Tok-Chin et al.
US 20040169283 A1	US- PGPUB	20040902		Integrated circuit devices and methods of forming the same that have a low dielectric insulating interlayer between conductive structures	257/760	257/E21.277; 257/E21.279; 257/E23.132; 438/624	Baek, Eun-Kyung et al.
US 20040158176 A1	US- PGPUB	20040812		Hot acupressure and massage machine	601/18	601/100; 601/103; 601/134	Park, Joon
US 20040153321 A1	US- PGPUB	20040805		Method and apparatus for speech recognition	704/251		Chung, Seung-Nyur et al.
US 20040149204 A1	US- PGPUB	20040805		Adhesive applicator	118/200	156/574	Park, Joon
US 20040142706 A1	US- PGPUB	20040722		Method for transmitting paging information for broadcast service in an MBMS mobile communication system	455/458	455/511	Kim, Wuk e al.
US 20040140759 A1	US- PGPUB	20040722		Polymer organic light emitting diode	313/504		Park, Joon-Young et al.
US 20040135521 A1	US- PGPUB	20040715		Organic electroluminescent device and driving method thereof	315/169.3		Park, Joon-Kyu
US 20040131026 A1	US- PGPUB	20040708		Method for determining a transmission scheme for an MBMS service in a mobile	370/328	370/318	Kim, Seong-Hun et al.

				communication system			
US 20040128060 A1	US- PGPUB	20040701		Rollover control method and system thereof	701/124	701/45	Park, Joon-Hong
US 20040127050 A1	US- PGPUB	20040701		Method for manufacturing semiconductor device with contact body extended in direction of bit line	438/692	257/E21.507; 257/E21.59	Park, Chang Min et al.
US 20040122870 A1	US- PGPUB	20040624		Method for data synchronization and update conflict resolution between mobile clients and server in mobile system	707/201		Park, Joong-Ki et al.
US 20040122673 A1	US- PGPUB	20040624		Method of and apparatus for managing dialog between user and agent	704/270		Park, Joon-Ah et al.
US 20040094815 A1	US- PGPUB	20040520		Micro electro-mechanical system device with piezoelectric thin film actuator	257/419	257/415; 438/50; 438/53	Park, Joon e al.
US 20040087296 A1	US- PGPUB	20040506		Radio receiver and method for AM suppression and DC-offset removal	455/285	455/283	Park, Joonb: et al.
US 20040086057 A1	US- PGPUB	20040506		Communication transmitter using offset phase-locked-loop	375/295		Lee, Kang-Yoon et al.
US 20040085926 A1	US- PGPUB	20040506		Apparatus and method for transmitting/receiving data during a handover in a mobile communication system providing MBMS service	370/328	370/392	Hwang, Sung-Oh et al.
US 20040085103 A1	US- PGPUB	20040506		System and method for suppressing noise in a phase-locked loop circuit	327/156		Ahn, Youngho et al.
US 20040085014 A1	US- PGPUB	20040506		Organic electroluminescent display and method for fabricating the same	313/504	257/E51.03; 313/503; 445/24	Park, Joon Young et al.
US 20040080471 A1	US- PGPUB	20040429		Method and apparatus for data-driving electro-luminescence display panel device	345/76		Kim, Chang Yeon et al.
US 20040063791 A1	US- PGPUB	20040401		Aminobiguanides and the use thereof to disinfect contact lenses and preserve pharmaceutical compositions	514/635		Park, Joonsu et al.
US 20040061709 A1	US- PGPUB	20040401		Method and apparatus for driving plasma display panel	345/690		Park, Joong Seo et al.

US 20040058040 A1	US- PGPUB	20040325		Method of pasteurizing chicken shell egg	426/298		Park, Joong-Min et al.
US 20040041525 A1	US- PGPUB	20040304		Organic electro-luminescence device and method and apparatus for driving the same	315/169.3		Park, Jae Yong et al.
US 20040037224 A1	US- PGPUB	20040226		Apparatus and method for retransmitting data in a mobile communication system	370/235	370/216	Choi, Sung-Ho et al.
US 20040031435 A1	US- PGPUB	20040219		Method for fabricating optical fiber preform using extrusion die	117/2		Park, Joon Yong
US 20040023624 A1	US- PGPUB	20040205		RF front end with reduced carrier leakage	455/118		Song, Eunseok et al.
US 20040022218 A1	US- PGPUB	20040205		Apparatus and method for providing MBMS service in a mobile communication system	370/335	370/465	Kim, Soeng-Hun et al.
US 20040022213 A1	US- PGPUB	20040205		Apparatus and method for determining CQI report cycle in an HSDPA communication system	370/332	370/253	Choi, Sung-Ho et al.
US 20040017144 A1	US- PGPUB	20040129		Cathode ray tube having support member for color selection apparatus	313/404	313/402	Ha, Kuen-Dong et al.
US 20040011067 A1	US- PGPUB	20040122		Method for controlling operation of refrigerator with two evaporators	62/206		Park, Jin Koo et al.
US 20040008657 A1	US- PGPUB	20040115		Apparatus and method for multimedia broadcast/multicast service in a mobile communication system	370/342	370/432	Lee, Kook-Heui et al.
US 20040008646 A1	US- PGPUB	20040115		Soft handover method for multimedia broadcast/multicast service in a CDMA mobile communication system	370/331	370/335	Park, Joon-Goo et al.
US 20040004443 A1	US- PGPUB	20040108		Organic electro luminescence device and method for driving the same	315/169.1		Park, Jae Yong et al.
US 20040002334 A1	US- PGPUB	20040101		Method of performing inter-rat measurement for a handover from NB-TDD to GSM	455/436	455/438	Lee, Kook-Heui et al.
US 20030232622 A1	US- PGPUB	20031218		Apparatus and method for transmitting and receiving uplink power offset information in a mobile	455/437	455/522	Seo, Myeon Sook et al.

				communication system supporting HSDPA			
US 20030231612 A1	US- PGPUB	20031218		Apparatus and method for determining soft handover in a CDMA mobile communication system providing MBMS service	370/342	370/335	Kim, Young Bum et al.
US 20030227340 A1	US- PGPUB	20031211		LC oscillator with wide tuning range and low phase noise	331/177R		Koo, Yido e al.
US 20030224794 A1	US- PGPUB	20031204		Method for setting up signaling connection in a mobile communication system	455/445	455/461	Kim, Soeng-Hun et al.
US 20030218582 A1	US- PGPUB	20031127		Method and apparatus of driving plasma display panel	345/60		Park, Sung Hee et al.
US 20030217388 A1	US- PGPUB	20031120		Methods of controlling reproduction in plants	800/286		Feyereisen, Rene et al.
US 20030201706 A1	US- PGPUB	20031030		Tension mask frame assembly and cathode ray tube having the same	313/404		Ha, Kuen-Dong et al.
US 20030199577 A1	US- PGPUB	20031023		Substrate with controlled amine density and regular spacing and method for preparing the same	514/489	560/159	Park, Joon-Won et al.
US 20030197663 A1	US- PGPUB	20031023		Electroluminescent display panel and method for operating the same	345/76		Lee, Han Sang et al.
US 20030194992 A1	US- PGPUB	20031016		Apparatus and method for transmitting control information for multimedia broadcast/multicast service in a mobile communication system	455/414.1	455/415	Kim, Sung-Hoon et al.
US 20030186141 A1	US- PGPUB	20031002		Multi-exposure lithography method and system providing increased overlay accuracy	430/22	355/53; 430/30; 430/312	Park, Joon-soo et al.
US 20030174678 A1	US- PGPUB	20030918		Apparatus and method for controlling packet data to provide multimedia broadcast/multicast services in a CDMA mobile communication system	370/335	370/465	Chang, Jin-Weon et al.
US 20030169086 A1	US- PGPUB	20030911		Zero-delay buffer circuit for a spread spectrum clock system and method therefor	327/158		Lee, Kyeongho e al.



US 20030134041 A1	US- PGPUB	20030717		Method for forming molecular layers having high density of primary amine group on solid supports	427/340		Park, Joon-Won et al.
US 20030133429 A1	US- PGPUB	20030717		Uplink synchronization method in a CDMA communication system employing USTS	370/342	370/441	Choi, Sung-Ho et al.
US 20030127652 A1	US- PGPUB	20030710		Active matrix organic electroluminescent display device and fabricating method thereof	257/72	257/51; 257/E21.413; 257/E21.703; 257/E27.111; 257/E29.293; 313/500	Park, Jae-Yong et al.
US 20030127650 A1	US- PGPUB	20030710		Active matrix organic electroluminescent display device and fabricating method thereof	257/72	257/E21.413; 257/E21.703; 257/E27.112; 257/E29.293	Park, Jae-Yong et al.
US 20030120638 A1	US- PGPUB	20030626		Method and apparatus for caching multiple Java-database connectivity	707/3		Park, Joong Ki et al.
US 20030119452 A1	US- PGPUB	20030626		Apparatus and method for controlling transmission power of downlink data channel in a mobile communication system supporting MBMS	455/69	455/572	Kim, Sung-Hoon et al.
US 20030117980 A1	US- PGPUB	20030626		Signal measurement apparatus and method for handover in a mobile communication system	370/332	370/280	Kim, Jung-Gon et al.
US 20030088695 A1	US- PGPUB	20030508		Paging apparatus and method in a mobile communication system providing multimedia broadcast multicast service	709/238	709/217	Kwak, Yong Jun et al.
US 20030080478 A1	US- PGPUB	20030501		Method of fabricating micro device and method of manufacturing mold for molding the same	264/645	264/241; 264/656; 264/670	Park, Joon-Shik et al.
US 20030079154 A1	US- PGPUB	20030424		Method and apparatus for improving software availability of cluster computer system	714/1		Park, Kie Jii et al.
US 20030045264 A1	US- PGPUB	20030306		Adaptive linearization technique for communication building block	455/323	455/334	Jeong, Hei-sam et al.
US 20030044255 A1	US- PGPUB	20030306		Fastening device for a wheel	411/318		Park, Joong-Min
US	US-	20030306		Method for allocating HARQ	370/329	370/343	Kim, Sung-

20030043764 A1	PGPUB			channel number for indicating state information in an HSDPA communication system			Hoon et al.
US 20030025662 A1	US- PGPUB	20030206		Method and apparatus for driving liquid crystal display panel	345/88		Park, Joon H
US 20030020521 A1	US- PGPUB	20030130		Single chip CMOS transmitter/receiver and method of using same	327/113		Lee, Kyeongho e al.
US 20030002472 A1	US- PGPUB	20030102		Method for transmitting HSDPA service information in a CDMA mobile communication system	370/347	370/442	Choi, Sung- Ho et al.
US 20030002470 A1	US- PGPUB	20030102		Transmission time adjusting apparatus and method between RNC and UE in a CDMA communication system	370/342	370/335	Park, Joon- Goo et al.
US 20030001806 A1	US- PGPUB	20030102		Driving circuit and method of organic electroluminescence device	345/77		Bae, Sung- Joon et al.
US 20020196214 A1	US- PGPUB	20021226		Driving circuit for active matrix organic light emitting diode	345/82		Park, Joon- Kyu et al.
US 20020195967 A1	US- PGPUB	20021226		Electro-luminescence panel	315/169.3	315/169.1	Kim, Sung H et al.
US 20020190796 A1	US- PGPUB	20021219		Variable gain low-noise amplifier for a wireless terminal	330/285		Park, Joonb et al.
US 20020166331 A1	US- PGPUB	20021114		Method for defrosting refrigerator with two evaporator	62/151	62/155	Park, Joon Hyung et al.
US 20020154273 A1	US- PGPUB	20021024		Projection display device	353/20		Seo, Eun- Seong et al.
US 20020150477 A1	US- PGPUB	20021017		Apparatus and method for controlling operation of linear motor compressor	417/44.1		Hwang, Yin Young et al.
US 20020144510 A1	US- PGPUB	20021010		Method for controlling power saving operation of refrigerator with two evaporator	62/186		Park, Jin Kc et al.
US 20020142745 A1	US- PGPUB	20021003		AUTOMATIC GAIN CONTROL METHOD FOR HIGHLY INTEGRATED COMMUNICATION RECEIVER	455/232.1	455/234.1; 455/245.1	Kang, Suwo et al.

US 20020136955 A1	US- PGPUB	20020926		Method for preparing lithium manganese spinel oxide having improved electrochemical performance	429/231.1	423/599; 429/224	Park, Hong-Kyu et al.
US 20020136342 A1	US- PGPUB	20020926		Sample and hold type fractional-N frequency synthesizer	375/376	327/156; 375/374; 375/375	Lee, Jeongwoo et al.
US 20020136341 A1	US- PGPUB	20020926		Fractional-N frequency synthesizer with fractional compensation method	375/376		Huh, Hyungki et al.
US 20020124995 A1	US- PGPUB	20020912		Heat pipe having woven-wire wick and straight-wire wick	165/104.11	165/104.26	Moon, Seok Hwan et al.
US 20020124010 A1	US- PGPUB	20020905		Design system based on design options with shared data base	707/200		Park, Joong-Ki et al.
US 20020114569 A1	US- PGPUB	20020822		System for assembling WDM filter assembly for optical amplifier	385/34	385/31	Park, Joong-Wan
US 20020105256 A1	US- PGPUB	20020808		Color selection apparatus for cathode ray tube	313/407		Kim, Dong Hwan et al.
US 20020101177 A1	US- PGPUB	20020801		Electro-luminescence panel	315/169.3		Bae, Sung Joon et al.
US 20020085973 A1	US- PGPUB	20020704		Preparing metal nitride thin film employing amine-adduct single-source precursor	423/351	423/495	Park, Joon Taik
US 20020084965 A1	US- PGPUB	20020704		Liquid crystal display device	345/87		Park, Joon H
US 20020083457 A1	US- PGPUB	20020627		Device for receiving satellite broadcast and a receiving method therefor	725/70	725/72	Jeong, Ki-Won et al.
US 20020075208 A1	US- PGPUB	20020620		Driving IC of an active matrix electroluminescence device	345/76		Bae, Sung Joon et al.
US 20020064464 A1	US- PGPUB	20020530		Apparatus and method for controlling operation of compressor	417/44.11	417/44.1; 417/53	Hwang, Yin Young et al.
US 20020064463 A1	US- PGPUB	20020530		Apparatus and method for controlling operation of linear compressor	417/44.1	417/45; 417/53	Park, Joon Hyung et al.
US 20020064462 A1	US- PGPUB	20020530		Apparatus and method for controlling operation of linear compressor using pattern	417/44.1	417/45; 417/53	Park, Joon Hyung et al.

				recognition			
US 20020063633 A1	US- PGPUB	20020530		Network control method and apparatus for home appliance	340/825.69	340/7.1	Park, Joon Hyung
US 20020062652 A1	US- PGPUB	20020530		Apparatus and method for controlling linear compressor	62/228.3	62/215	Hwang, Yin Young et al.
US 20020043920 A1	US- PGPUB	20020418		Tension mask assembly for color CRT	313/407	313/402	Kim, Wan e al.
US 20020033787 A1	US- PGPUB	20020321		Driving method for a liquid crystal display device and driving circuits thereof	345/87		Park, Joon- Ha et al.
US 20020028626 A1	US- PGPUB	20020307		Method for fabricating organic electroluminescent display	445/24		Lee, Seong- Taek et al.
US 20020021149 A1	US- PGPUB	20020221		Input buffer circuit for transforming pseudo differential signals into full differential signals	327/87		Park, Joon- Young et al.
US 20020013819 A1	US- PGPUB	20020131		Internet remote controller and controlling method for home appliances using the same	709/208	709/218	Lim, Hyong Taek et al.
US 20020007489 A1	US- PGPUB	20020117		Device for receiving satellite broadcast and a receiving method therefor	725/72		Jeong, Ki- Won et al.
US 20010056576 A1	US- PGPUB	20011227		Apparatus and method for receiving multichannel signals	725/48	380/210	Park, Joong- Je et al.
US 20010036389 A1	US- PGPUB	20011101		Woodworking dowel master jig	408/103	408/115R	Park, Joon
US 20010025082 A1	US- PGPUB	20010927		Syndiotactic polystyrene copolymer resin composition having macromonomer for improving impact strength	525/63	525/403; 525/420; 525/474; 525/523; 525/64; 525/70; 525/72; 525/73; 525/77; 525/80	Park, Joon Yong
US 20010017607 A1	US- PGPUB	20010830		Liquid crystal display device having quad type color filters	345/87		Kwon, Keul Sang et al.
US	US-	20010802		Precoated polymeric prosthesis	623/11.11	427/2.24;	Park, Joon E

20010011190 A1	PGPUB			and process for making same		427/385.5	
US 7111275 B2	USPAT	20060919		Electronic circuit design analysis system	716/18	716/12; 716/2	Chen; Thaddeus et al.
US 7098576 B2	USPAT	20060829		Micro-electrical-mechanical device and method of making same	310/328	310/331	Allison; Robert C. et al.
US 7097545 B2	USPAT	20060829		Polishing pad conditioner and chemical mechanical polishing apparatus having the same	451/72	451/443	Lee; Jong- Won et al.
US 7094624 B2	USPAT	20060822		Active matrix organic electroluminescent display device and fabricating method thereof	438/82	257/291	Park; Jae- Yong et al.
US 7091660 B2	USPAT	20060815		Polymer organic light emitting diode	313/512	313/504	Park; Joon- Young et al.
US 7084560 B2	USPAT	20060801		Tension mask frame assembly and cathode ray tube having the same	313/404	313/405; 313/407	Ha; Kuen- Dong et al.
US 7079164 B2	USPAT	20060718		Method and apparatus for driving liquid crystal display panel	345/696	345/694	Park; Joon H
US 7077900 B2	USPAT	20060718		Method for fabricating optical fiber preform using extrusion die	117/2	117/1; 117/3; 117/944; 383/123; 383/124; 383/126	Park; Joon Yong
US 7071928 B2	USPAT	20060704		Liquid crystal display device having quad type color filters	345/204	345/98	Kwon; Keul Sang et al.
US 7071535 B2	USPAT	20060704		Integrated circuit package having inductance loop formed from a bridge interconnect	257/531	257/784; 331/108C; 331/117R	Koo; Yido e al.
US 7067968 B2	USPAT	20060627		Cathode ray tube having support member for color selection apparatus	313/404	313/402; 313/407	Ha; Kuen- Dong et al.
US 7054633 B2	USPAT	20060530		Apparatus and method for transmitting and receiving uplink power offset information in a mobile communication system supporting HSDPA	455/439	370/331; 370/338; 370/349; 455/436; 455/522; 455/69	Seo; Myeon Sook et al.
US 7052930 B2	USPAT	20060530		Active matrix organic electroluminescent display device and fabricating method thereof	438/66	257/E21.413; 257/E21.703; 257/E27.112; 257/E29.293;	Park; Jae- Yong et al.

						438/200; 438/237	
US 7052726 B2	USPAT	20060530		Method of pasteurizing chicken shell egg	426/298	426/614	Park; Joong- Min et al.
US 7050163 B2	USPAT	20060523		Apparatus for solution component analysis and fabricating method thereof	356/246		Park; Kwang- Bum et al.
US 7035351 B1	USPAT	20060425		Automatic gain control loop apparatus	375/327		Park; Joonb- et al.
US 7023867 B1	USPAT	20060404		PBX with configurable analog CO line and T1 signalling protocols using packet bus and software switched WAV channels	370/419	370/353; 370/354; 370/355; 370/356; 370/359; 370/362; 370/364	Park; Joon- Suk et al.
US 7023419 B2	USPAT	20060404		Liquid crystal display device	345/103	345/100	Park; Joon I
US 7020552 B2	USPAT	20060328		Rollover control method and system thereof	701/45	180/271; 280/5.506; 280/5.51; 701/36; 701/41	Park; Joon- Hong
US 7005191 B2	USPAT	20060228		Oxidation resistant coatings for ultra high temperature transition metals and transition metal alloys	428/446	428/448; 428/697; 428/699; 428/701; 428/702; 428/704	Perepezko; John H. et al.
US 7003265 B2	USPAT	20060221		System and method for filtering signals in a transceiver	455/73	333/103; 455/78	Jeon; Young- Deuk et al.
US 7002410 B2	USPAT	20060221		Adaptive linearization technique for communication building block	330/149	330/84	Jeong; Hei- sam et al.
US 6993109 B2	USPAT	20060131		Zero-delay buffer circuit for a spread spectrum clock system and method therefor	375/376	327/158; 375/371; 375/373; 375/375	Lee; Kyeongho e al.
US 6989571 B2	USPAT	20060124		Active matrix organic electro luminescence device panel	257/350	257/59; 257/72	Park; Jae Yong et al.
US 6985953 B1	USPAT	20060110		System and apparatus for storage and transfer of secure data on web	709/229	709/225; 709/226	Sandhu; Rav et al.
US 6963620 B2	USPAT	20051108		Communication transmitter using offset phase-locked-loop	375/295	331/18; 332/127; 375/376	Lee; Kang- Yoon et al.

US 6960414 B2	USPAT	20051101		Multi-exposure lithography method and system providing increased overlay accuracy	430/22	430/30	Park; Joon-soo et al.
US 6956547 B2	USPAT	20051018		Driving circuit and method of driving an organic electroluminescence device	345/77	315/169.3; 345/213; 345/690	Bae; Sung-Joon et al.
US 6952125 B2	USPAT	20051004		System and method for suppressing noise in a phase-locked loop circuit	327/156	331/25; 377/48	Ahn; Youngho et al.
US 6943760 B2	USPAT	20050913		Driving IC of an active matrix electroluminescence device	345/76	315/169.3	Bae; Sung Joon et al.
US 6936640 B2	USPAT	20050830		Biguanide/quaternary ammonium containing copolymeric biocides and use thereof in pharmaceutical compositions	514/635	422/28; 424/78.04; 564/233; 564/234; 564/235	McQueen; Nathaniel D et al.
US 6936300 B2	USPAT	20050830		Method for fabricating organic electroluminescent display	427/66	427/555; 427/596; 427/68	Lee; Seong Taek et al.
US 6930054 B2	USPAT	20050816		Slurry composition for use in chemical mechanical polishing of metal wiring	438/745	252/186.38; 252/186.39; 252/79.1; 257/E21.304; 438/692; 438/694; 510/175; 510/312	Lee; Jae Sec et al.
US 6921918 B2	USPAT	20050726		Active matrix organic electroluminescent display device simplifying fabricating process	257/72	257/290; 257/291; 257/57; 257/59; 257/70; 257/E21.413; 257/E21.703; 257/E27.112; 257/E29.293	Park; Jae-Yong et al.
US 6916958 B2	USPAT	20050712		Aminobiguanides and the use thereof to disinfect contact lenses and preserve pharmaceutical compositions	564/233		Park; Joonsu et al.
US 6891521 B2	USPAT	20050510		Driving method for a liquid crystal display device and driving circuits thereof	345/87	345/100; 345/204; 345/98	Park; Joon-Ha et al.
US 6883603 B2	USPAT	20050426		Method for controlling operation of refrigerator with two evaporators	165/206	165/254; 62/199; 62/229	Park; Jin Kc et al.

US 6883339 B2	USPAT	20050426		Method for controlling power saving operation of refrigerator with two evaporator	62/180	62/186; 62/231	Park; Jin Kc et al.
US 6876266 B2	USPAT	20050405		LC oscillator with wide tuning range and low phase noise	331/117R	331/117FE; 331/167; 331/175; 331/177R; 331/177V; 331/185; 331/36C	Koo; Yido e al.
US 6864637 B2	USPAT	20050308		Organic electro luminescence device and method for driving the same	315/169.1	257/350; 257/59; 315/169.3; 315/169.4	Park; Jae Yong et al.
US 6858992 B2	USPAT	20050222		Organic electro-luminescence device and method and apparatus for driving the same	315/169.3	345/211; 345/76	Park; Jae Yong et al.
US 6850748 B2	USPAT	20050201		RF front end with reduced carrier leakage	455/302	327/117; 455/313; 455/323	Song; Eunseok et al.
US 6850149 B2	USPAT	20050201		Network control method and apparatus for home appliance	340/7.1	340/825.69; 455/327; 455/420	Park; Joon Hyung
US 6835954 B2	USPAT	20041228		Active matrix organic electroluminescent display device	257/72	257/57; 257/59; 257/E21.413; 257/E21.703; 257/E27.111; 257/E29.293	Park; Jae-Yong et al.
US 6806853 B2	USPAT	20041019		Driving circuit for active matrix organic light emitting diode	345/82	315/169.3; 345/95	Park; Joon-Kyu et al.
US 6781424 B2	USPAT	20040824		Single chip CMOS transmitter/receiver and method of using same	327/113	375/345; 455/217; 455/226.2	Lee; Kyeongho e al.
US 6731667 B1	USPAT	20040504		Zero-delay buffer circuit for a spread spectrum clock system and method therefor	375/130	375/373; 375/375; 375/376	Lee; Kyeongho e al.
US 6717343 B2	USPAT	20040406		Color selection apparatus for cathode ray tube	313/402	313/407	Kim; Dong Hwan et al.
US 6716746 B1	USPAT	20040406		Semiconductor device having self-aligned contact and method of fabricating the same	438/637	257/E21.507; 438/640; 438/672; 438/675	Kim; In Sun et al.
US 6704383 B2	USPAT	20040309		Sample and hold type fractional-N frequency	375/376	327/156; 327/157;	Lee; Jeongwoo et al.



				synthesizer		375/375	al.
US 6693383 B2	USPAT	20040217		Electro-luminescence panel	315/169.1	315/169.2; 315/169.3; 345/204; 345/214	Bae; Sung Joon et al.
US 6690115 B2	USPAT	20040210		Electro-luminescence panel	315/169.1	257/314; 257/368; 315/169.3; 345/204; 345/48; 345/76	Kim; Sung I et al.
US 6676303 B2	USPAT	20040113		System for assembling WDM filter assembly for optical amplifier	385/88	385/52; 385/90	Park; Joong- Wan
US 6664294 B1	USPAT	20031216		Aminobiguanides and the use thereof to disinfect contact lenses and preserve pharmaceutical compositions	514/635	514/912	Park; Joonsu et al.
US 6659695 B2	USPAT	20031209		Woodworking dowel master jig	408/103	408/115R	Park; Joon
US 6657498 B2	USPAT	20031202		Variable gain low-noise amplifier for a wireless terminal	330/285	330/278	Park; Joonb; et al.
US 6645558 B2	USPAT	20031111		Method for forming molecular layers having high density of primary amine group on solid supports	427/340	427/387; 427/407.2	Park; Joon- Won et al.
US 6640647 B1	USPAT	20031104		System for structural strain sensing by optical fiber sensor	73/800	250/227.27; 356/478	Hong; Chan Sun et al.
US 6637988 B1	USPAT	20031028		Adjustable pocket drilling fixture	408/103	408/115R	Park; Joon
US 6628659 B1	USPAT	20030930		ATM cell switching system	370/395.6		Park; Joong- Hyeok
US 6623246 B2	USPAT	20030923		Apparatus and method for controlling operation of linear motor compressor	417/44.1	417/18; 417/212; 417/417; 417/44.11; 417/45; 417/53	Hwang; Yin Young et al.
US 6622498 B2	USPAT	20030923		Method for defrosting refrigerator with two evaporator	62/154	62/155	Park; Joon Hyung et al.
US 6619384 B2	USPAT	20030916		Heat pipe having woven-wire wick and straight-wire wick	165/104.26	165/104.33; 361/700	Moon; Seok Hwan et al.
US 6611089 B2	USPAT	20030826		Tension mask assembly for color CRT having at least two	313/407	313/402; 313/403;	Kim; Wan e al.

				divided portions		445/47	
US 6582081 B2	USPAT	20030624		Projection display device	353/20	353/31	Seo; Eun-Seong et al.
US 6558428 B2	USPAT	20030506		Precoated polymeric prosthesis and process for making same	623/23.59	623/16.11	Park; Joon E
US 6554577 B2	USPAT	20030429		Apparatus and method for controlling operation of linear compressor using pattern recognition	417/44.1	417/18; 417/212; 417/417; 417/44.11; 417/45; 417/53	Park; Joon Hyung et al.
US 6553089 B2	USPAT	20030422		Fractional-N frequency synthesizer with fractional compensation method	375/376	327/156; 327/157; 375/375	Huh; Hyunki et al.
US 6546415 B1	USPAT	20030408	10	Network management system using a distributed namespace	709/202	709/223	Park; Joonh
US 6537034 B2	USPAT	20030325		Apparatus and method for controlling operation of linear compressor	417/44.1	417/18; 417/212; 417/417; 417/44.11; 417/45; 417/53	Park; Joon Hyung et al.
US 6527519 B2	USPAT	20030304		Apparatus and method for controlling the operation of a linear compressor using a suction/discharge pressure difference storing unit	417/44.11	417/18; 417/212; 417/417; 417/44.1; 417/45; 417/53	Hwang; Yin Young et al.
US 6524075 B2	USPAT	20030225		Apparatus and method for controlling operation of compressor	417/44.11	417/18; 417/212; 417/417; 417/44.1; 417/45; 417/53	Hwang; Yin Young et al.